

GLASSWASHER

Model: ESICWPB

Article no: 402221

Power supply: 230V 1Ph ~50Hz

Fully automatic glasswasher. Insulated. Three automatic cycles of 120/ 300/ 120 seconds suitable for glasses and small plates/ saucer. Rinse temperature and pressure guaranteed by built in pressure boiler. Capacity up to 30 racks/ h. Pressed tank with round corners. 304 stainless steel construction to include door, frame, wash tank, tank filter, wash arms and rinse arms. Electronic control with temperature display. Incl rinse booster pump, drain pump and rinse aid dispenser pump. Equipped with electric cable and Schuko plug. One rack 400x400x150mm for glasses included.

ESICWPB, 402221

15-01-24 (13:59)

Subject to change without notice
For correct installation, refer to the installation manual

TECHNICAL DATA

ESICWPB, 402221, 15-01-24 (13:59)

Model Number Specific	ESICWPB
Voltage (V)	230
Phase	1
Frequency (Hz)	50
Loading (kW)	3,3
IP Class	X4
Width, net (mm)	460
Depth, net (mm)	565
Height, net (mm)	715
Weight, net (kg)	37
Weight, gross (kg)	42
Volume, net (m3)	0,19
Volume, gross (m3)	0,24
Connection Cable, length (m)	1,5
Plug type	None
Certifications	CE

Loipart AB (HQ), **Sweden**
Tel. +46 313 920 100, loipart@loipart.se

LMG Finland oy, **Finland**
+358 40 664 6680, lmg@lmg.fi




Loipart USA inc, **USA**
Tel. +1 954 530 5276, loipartusa@loipart.com

Loipart SEA Pte Ltd, **Singapore**
Tel. +65 674 99 100, contact@loipart.sg

Visit us at www.loipart.com

DIMENSIONS

Model: ESICWPB6 Rev. 1



DETAIL MARINE FOOT

