





DEEP FAT FRYER 18 L

Model: E9FRMD1HF6

Article no: 391191

Power supply: 440V 3Ph ~50/60Hz

The XP 900 range is designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation.

The freestanding electric fryer is ideal for kitchens needing a versatile, efficient and easy to clean unit capable of cooking numerous portions time after time.

The fryer has high efficiency liftable incoloy armoured heating elements placed inside the deep drawn well.

Well with rounded corners for ease of cleaning. Right-angled side edges to allow flush-fitting joints between units, eliminating gaps and possible dirt traps. One piece pressed 1.5 mm worktop in Stainless steel. All exterior panels in Stainless Steel with Scotch Brite finishing.

The oil drains through a tap into a drainage container positioned under the well and all major compartments located in front of unit or ease of maintenance. Optional portable oil quality monitoring tool (code 9B8081) for efficient oil management.

MAIN FEATURES

- IPX 5 water protection.
- · Overheat protection thermostat
- Thermostatic regulation of oil temperature up to a maximum of 185 °C
- Liftable incoloy armoured heating elements

E9FRMD1HF6, 391191 07-10-22 (12:04)

Madal Number Cressifis	F9FRMD1HF6
Model Number Specific	
Voltage (V)	440
Phase	3
Frequency (Hz)	50/60
Loading (kW)	16,5
Max Amps in Phase (A)	21
IP Class	X5
Capacity (L)	18
Width, net (mm)	400
Depth, net (mm)	930
Height, net (mm)	900
Weight, net (kg)	57
Weight, gross (kg)	67
Volume, net (m3)	0,39
Volume, gross (m3)	0,51
Product brand	Electrolux Professional
Adjustable height	No
Adjustable height	No
Front rail, included	No
Fryer, type	Internal element
Installation, type	Floor model
Marine feet	Yes
Oil temperature (°C)	185
SOLAS approved	Yes
Timer	No
Touch control	No

INCLUDED IN DELIVERY

• 1 of Door for open base cupboard PNC 206350 • 1 of 2 half size baskets for 18/23L fryers PNC 92722 • 1 of Lid



Loipart USA inc, USA


Rev. 1


100

DETAIL MARINE FEET

BACK

FRONT





299 299 200 180

SIDE

- 1.Electrical connection
- 2.Marine legs
- 3.Front hand rail (optional)
- 4. Eqiupotential screw
- 5.Lid (included in delivery)

DETAIL MARINE FEET

