



## RICE COOKER (SFRC-108F) 10 KG

Model: 504045

Article no: L12037

Power supply: 440V 3Ph ~60Hz

Electric automatic rice cooker with a cooking capacity of 10 kg is a powerful and full-featured cooker designed and built for commercial use. The cooker has an exterior of stainless steel sheet, completely insulated with 25 mm thick glass wool. The interior is made of aluminum-plated steel. The door is insulated with 25 mm thick glass-wool and provided with a heat-resistant handle.

The cooker with a highly efficient, powerful element is equipped with a thermistor. The thermistor uses the steam-catching method to sense the preset temperature of steam coming from the pan and automatically turns the heater off instantly. A cooking adjusting switch provides fine condition adjustment to cooking to obtain rice of the desired quality. After 15 minutes of steaming at the end of the cooking cycle, a buzzer sounds indicate that the rice is ready to eat. The cooker is equipped with a drawer-type rice pan that can be pulled out smoothly without putting one's hand into the hot area. A round aluminum-finish rice pan complete with a lid is delivered with each deck of the cooker.

## **MAIN FEATURES**


- · Stainless Steel Exterior
- Fast and Reliable
- Powerful
- Rice Settling Indication
- Precise Steam Temperature Control
- · Functional Safety Drawer
- Three Sizes
- · Easy to Maintain

504045, L12037 18-01-24 (17:08)


Model Number Specific	504045
Voltage (V)	440
Phase	3
Frequency (Hz)	60
Loading (kW)	10,8
IP Class	21
Capacity, max (kg)	10
Width, net (mm)	750
Depth, net (mm)	600
Height, net (mm)	934
Weight, net (kg)	120
Weight, gross (kg)	130
Volume, net (m3)	0,71
Volume, gross (m3)	0,92
USPH	Yes




**FRONT** 




SIDE



TOP



**DETAIL MARINE FOOT** 



- 1. Control panel
- 2. Electrical connection
- 3. Heater
- 4. Cooking pan
- 5. Drawer unit
- 6. Marine legs

